

CABLES (CC PRODUCT AND APPLICATION)

PRODUCT	SHORE	DENSITY	MAX TEMP	APPLICATION	SANS SPECS	IEC SPECS
FE75/4801 N	78 A	1.48	70°C	Flexible sheathing	SANS 1411 Part 11 Type D3 & S3	EN 50363-3 TYPE TI 2
FE80D/5004N	80 A	1.48	70°C	Up to 3.3kv insulation	SANS 1411 Part 11 Type D3	
FE85/5521N FR	88 A	1.53	70°C	FR insulation / sheathing	SANS 1411 Part 11 Type S2	EN 50363-3 TYPE TI 1
FE85/5511N	88 A	1.51	70°C	Insulation / sheathing	SANS 1411 Part 11 Type S2	EN 50363-3 TYPE TI 1
FE85/5515N LH	88 A	1.52	70°C	Low halogen / sheathing	SANS 1411 Part 11 Type S2	EN 50363-3 TYPE TI 1
FE85/6001N	85 A	1.55	70°C	Cable bedding	SANS 1411 Part 11 Type B1	
FE90D/5001N	94 A	1.48	70°C	Surfex	SANS 1411 Part 11 Type D1 & S1	EN 50363-3 TYPE TI 1
FE90D/5042N	90 A	1.50	70°C	High-speed insulation	SANS 1411 Part 11 Type D1 & S1	EN 50363-3 TYPE TI 1
FE85/5500N	88 A	1.50	70°C	Cat 5 & 6 data cable sheathing	SANS 1411 Part 11 Type S2	EN 50363-3 TYPE TI 1
FE90/5033N	92 A	1.50	70°C	Cat 5 & 6 data cable sheathing		
EN65/1204N	65 A	1.23	70°C	Pvc / nitrile – weld- ing & trailing cable	SANS 1411 Part 11 Type S4	
HE90/3990E	90 A	1.37	90°C	90°C high temp cable insulation	SANS 1411 Part 11 Type D5	EN 50363-3 TYPE TI 3
HE90/3215E	90 A	1.32	105°C	105°C high temp cable insulation	SANS 1411 Part 11 Type D5	EN 50363-3 TYPE TI 3
HF417	50 D	1.50	70°C	Halogen free flame retardant		EN 50363-7 Type TI 7

Continental Compounders

Co. Reg No: 2004/031667/07

3 Joule Crescent, Mariann Industrial Estate,

Pinetown, 3610

Tel: +27 31 791 0600

Fax: 031 791 0081

Email: sales@compounders.co.za

Website: www.compounders.co.za

FLEX EXTRUSION FOR HOSE PIPE (CC PRODUCT AND APPLICATION)

PRODUCT	SHORE	DENSITY	APPLICATION
A2/8503N	85 A	1.28	Conductive hose
EN60/1904N	63 A	1.2	Nitrile inner lining for fire hoses
EN65/1204N	65 A	1.22	Nitrile welding and trailing cables
EN75/2304N	76 A	1.23	Nitrile general purpose extrusion
EX65/2205N	65 A	1.20	Crystal flexible profiles & tubing
EX75/2205N	75 A	1.22	Crystal flexible profiles & tubing
EX75/2207N	75 A	1.22	Detonator cord
EX80/2305N	80 A	1.23	Crystal flexible profiles & tubing
EX85/2305N	85 A	1.24	Crystal flexible profiles & tubing
FE65/4000N	66 A	1.4	Uv window gasket
FE75/4601N	78 A	1.45	General purpose extrusion
FE75/4801N	78 A	1.48	General purpose extrusion
FE75/6010N UV	78 A	1.46	Uv stabilised irrigation tube
FE85/6001N	87 A	1.55	General purpose extrusion
FE85/8000N	85 A	1.75	General purpose extrusion
FE85/5511N	86 A	1.51	General purpose extrusion
FE90/5042N	92 A	1.5	Mining hose outer
WE95/2506N	95 A	1.31	Fence wire insulation
WE95/3603N	95 A	1.35	Gabion wire insulation
WX65/2205 N	65 A	1.20	Uv tubing & profiles
WX75/2205N	75 A	1.22	Uv garden hose outer

Continental Compounders

Co. Reg No: 2004/031667/07

3 Jule Crescent, Mariann Industrial Estate,

Pinetown, 3610

Tel: +27 31 791 0600

Fax: 031 791 0081

Email: sales@compounders.co.za

Website: www.compounders.co.za

INJECTION FOR FOOTWARE (CC PRODUCT AND APPLICATION)

PRODUCT	SHORE	DENSITY	APPLICATION
GB60 BLACK	60 A	1.33	Recycle gumboot
170 PVC	75 A	1.35	Recycle unit soles
I55/2305N	53 A	1.14	Unit soles
I60/2001N	60 A	1.21	Gumboot upper
I60/2003N	62 A	1.21	Gumboot upper
I65/2201N	66 A	1.23	Unit soles
I65/3501N	65 A	1.29	Unit soles
I75/4021N	73 A	1.38	Unit soles
I80/3512N	81 A	1.25	Road cones
I80/2204N	81 A	1.36	Unit soles
I85/4521N	85 A	1.45	Electrical plugs
IN55/2000N	52 A	1.16	Nitrile gasket
IN55/1725N	59 A	1.17	Nitrile gumboot upper
IN57/1805N	57 A	1.16	10phr nitrile upper
IN58/1615N	57 A	1.16	10phr nitrile upper
IN60/2504N	61 A	1.21	10 Phr nitrile sole
IN65/1825N	59 A	1.18	25phr nitrile sole
IN65/2005N	65 A	1.24	22phr industrial shoe
IX50/1705N	60 A	1.17	Clear hotwater bottles
IX60/1705N	54 A	1.16	Vamps crystal
IX80/2305N	72 A	1.22	Blue tint footwear

Continental Compounders

Co. Reg No: 2004/031667/07

3 Joule Crescent, Mariann Industrial Estate,

Pinetown, 3610

Tel: +27 31 791 0600

Fax: 031 791 0081

Email: sales@compounders.co.za

Website: www.compounders.co.za

SPECIALITIES (CC PRODUCT AND APPLICATION)

RIGID EXTRUSION

PRODUCT	SHORE	DENSITY	APPLICATION
RE 2177E	76 D	1.46	RIGID NON PRESSURE PIPE - SEWER
RE 2178E	76 D	1.43	RIGID PRESSURE PIPE
RE4000E	76 D	1.44	COMPLEX PROFILE

RIGID INJECTION

PRODUCT	SHORE	DENSITY	APPLICATION
RI 003	76 D	1.40	RIGID PRESSURE PIPE FITTINGS (TIN)
RI038E	76 D	1.44	Ca/Zn PIPE & ELECTRICAL FITTINGS

BOTTLE

PRODUCT	SHORE	DENSITY	APPLICATION
BMC8030	75 D	1.33	BOTTLE MEDIUM IMPACT
BMC8035 UV	75 D	1.33	BOTTLE MEDIUM IMPACT UV STABILISED
BMC8022	75 D	1.33	BOTTLE HIGH IMPACT

FILM

PRODUCT	SHORE	DENSITY	APPLICATION
GPW005E	84 A	1.23	CLING FILM
GPF9555E UV	76 D	1.32	GENERAL PURPOSE FILM

Continental Compounders

Co. Reg No: 2004/031667/07

3 Jule Crescent, Mariann Industrial Estate,

Pinetown, 3610

Tel: +27 31 791 0600

Fax: 031 791 0081

Email: sales@compounders.co.za

Website: www.compounders.co.za